

Why are we recommending irrigation prices?

The Queensland Government directed us to recommend irrigation prices for Sunwater and Seqwater customers over the pricing period 1 July 2020 to 30 June 2024.

This includes recommending prices for irrigation customers in the St George water supply scheme (WSS).

Issues related to the prices for non-irrigation customers are outside the scope of our review.

How we have recommended prices

In recommending prices we have not included a return on, or depreciation of, investments made prior to 1 July 2000.

We have recommended a two-part tariff for the tariff group in this scheme. The first part is a *fixed price* per megalitre (ML) of water access entitlement (WAE), and the second part is a *volumetric price* per ML of water used.

The volumetric price (Part B) recovers variable costs (e.g. a portion of labour costs) that change with water usage. The remaining costs associated with this scheme are recovered by the fixed price (Part A). We have assessed all expenditure to ensure that Sunwater only recovers prudent and efficient costs.

It is government policy that, over time, irrigation prices should transition to fully recover prudent and efficient costs of operating, maintaining, administering and renewing each scheme. Cost recovery for Sunwater's irrigation customers will improve from 91 per cent in 2020–21 to 94 per cent by 2023–24. The shortfall is currently funded by a subsidy, paid by the Queensland taxpayer, which will reduce over time as prices transition to cost reflective.

The fixed price increases by up to \$2.38/ML plus inflation. The volumetric price increases annually by our estimate of inflation (2.37 per cent) from 2020–21 onwards.

What prices have we recommended?

After extensive consultation with irrigators, we have released our draft report.

We have been directed to recommend two sets of prices for this scheme, one that maintains existing tariff groups and one that applies an alternative tariff group. This applies to the Beardmore Dam/Balonne River and Thuraggi Watercourse tariff groups.

However, our draft recommended alternative tariff group prices do not differ from our draft recommended prices for the existing tariff groups.

These draft prices will cover costs by the end of the pricing period.

Our draft recommended prices are shown in the table below.

Draft recommended prices for irrigation customers—\$/ML

Tariff group	2019–20 (Current)	2020–21	2021–22	2022–23	2023–24
St George— Beardmore dam or Balonne River (medium priority)					
Fixed (Part A)	21.91	21.91	21.91	21.91	21.91
Volumetric (Part B)	1.38	1.11	1.14	1.16	1.19
St George— Thuraggi Watercourse (medium priority)					
Fixed (Part A)	21.91	21.91	21.91	21.91	21.91
Volumetric (Part B)	1.38	1.11	1.14	1.16	1.19
St George alternative tariff group					
Fixed (Part A)	n.a	21.91	21.91	21.91	21.91
Volumetric (Part B)	n.a	1.11	1.14	1.16	1.19
St George (medium priority local management supply)					
Fixed (Part A)	20.86	20.08	20.55	21.04	21.54
Volumetric (Part B)	1.38	1.11	1.14	1.16	1.19
St George (high priority local management supply)					
Fixed (Part A)	29.04	32.11	33.27	34.06	34.86
Volumetric (Part B)	1.38	1.11	1.14	1.16	1.19

We have recommended a reduction in scheme costs for St George WSS

In our draft report, we have reduced Sunwater's proposed scheme costs by 2 per cent over the pricing period 1 July 2020 to 30 June 2024.

Total scheme costs over the price path period—St George WSS (2018–19 dollars) (\$'000)




Figure notes: 1. Revenue offsets are not included in the charts. 2. QCA Non-direct operating costs includes the QCA regulatory fees.

Further details on our recommended costs for Sunwater schemes are in Part B (chapters 2 to 4) of the draft report.

How we have addressed stakeholder concerns

Dam safety

Some irrigation stakeholders have raised concerns about the allocation of dam safety expenditure to irrigators.

Dams in Queensland have generally been built for the primary purpose of supplying water to users. As a compliance cost, we consider that dam safety upgrade expenditure should be treated as a normal cost of operation in supplying water services to customers.

We have reflected the informal flood moderation benefits of dams by only allocating 80 per cent of irrigators' share of dam safety upgrade expenditure to the allowable cost base.

Where a dam has a formal flood mitigation role, we consider that the costs of dam safety upgrades should be shared with beneficiaries in the broader community.

See Part A (Chapter 4) for further details.

IGEM costs

Some irrigation stakeholders have raised concerns about the allocation of costs incurred to implement the 2015 recommendations made by the Inspector-General Emergency Management (IGEM costs) to irrigators.

We propose to accept Sunwater's revised (lower) IGEM costs provided to us in its June 2019 regulatory model. However, we have proposed allocating this between irrigation and non-irrigation customers using the headworks utilisation factor. See Part B (sections 2.9 and 7.3) of the draft report for further details.

Renewals annuity

Irrigation stakeholders raised concerns about the increase in renewals expenditure.

We have identified improvements to Sunwater's asset planning and management to ensure assets are not replaced earlier or later than required. See Part B (section 3.2) for further details.

We have reduced Sunwater's forecast renewals expenditure by 29.5 per cent (relative to the November 2018 submission) to reflect our assessment of the prudent and efficient level of expenditure. See Part B (sections 3.4 and 3.5) for further details.

We have assessed local impacts

In recommending prices, we have considered bill impacts for irrigation customers.

The table below presents an estimate of the change in water bills (compared to the bill based on current prices), for various levels of water use.

Further details on bill impacts are in Part B (chapter 9, appendix C and chapter 7) of the draft report.

Change in water bill

Water use as portion of entitlement held (%)	Water bill change from 2019–20 to 2020–21 (%)	Water bill change from 2019–20 to 2023–24 (%)
St George— Beardmore dam or Balonne River (medium priority)		
0	-	-
25	(0.3)	(0.2)
50	(0.6)	(0.4)
75	(0.9)	(0.6)
100	(1.2)	(0.8)
St George— Thuraggi Watercourse (medium priority)		
0	-	-
25	(0.3)	(0.2)
50	(0.6)	(0.4)
75	(0.9)	(0.6)
100	(1.2)	(0.8)

St George alternative tariff group		
0	-	-
25	(0.3)	(0.2)
50	(0.6)	(0.4)
75	(0.9)	(0.6)
100	(1.2)	(0.8)
St George (medium priority local management supply)		
0	(3.8)	3.2
25	(4.0)	3.0
50	(4.3)	2.7
75	(4.5)	2.4
100	(4.7)	2.2
St George (high priority local management supply)		
0	10.6	20.1
25	10.2	19.6
50	9.9	19.2
75	9.5	18.8
100	9.2	18.4

How you can get involved

Public involvement is a key part of our review. Our draft report provides stakeholders with an opportunity to review and comment on our proposed approach and prices, prior to us finalising our report and providing it to the Government by 31 January 2020.

We now invite stakeholders to comment on this draft report (submissions are due by 4 November 2019) and to attend the workshops we will be running in regional Queensland in September/October 2019.

We also invite stakeholders to consider and provide comment on late submissions provided by Sunwater on a minimum access charge and an electricity cost pass through mechanism.

An indicative timetable for the remainder of our review is provided in the table below.

Timetable

Task	Date
Stakeholder workshops on draft report	September–October 2019
Submissions on draft report due	4 November 2019
Final report provided to the Government	By 31 January 2020
Final report published	Early February 2020

Where you can find out more

For more information please see the [QCA website](#) for:

- Part A of the draft report for key regulatory and pricing framework issues that apply to both Sunwater and Seqwater
- Part B of the draft report for Sunwater schemes
- Part C of the draft report for Seqwater schemes.